

Modelling, Optimization and Detection



MOD workshop

October 26th, 2017

CIIRC, Jugoslávských partyzánů 3,
Praha 6, Dejvice



Energy Day 2017

October 27th, 2017

Czech Statistical Office, Na padesátém 81,
Praha 10, metro A Skalka



Energy Systems Modelling

October 28th, 2017

Czech Technical University, Karlovo nám. 13,
Praha 2, Nové Město



contact e-mail

info@energy-workshop.cz

registration, program and other information

www.energy-workshop.cz



EUROPEAN UNION
European Structural and Investing Funds
Operational Programme Research,
Development and Education



General programme

Thursday, October 26th 2017

- 9:30 – 10:00** **Registration**
- 10:00 – 10:10** **Opening**
- 10:10 – 13:00** **Modelling, Optimization and Detection**
- 13:00 – 14:00** **lunch**
- 14:00 – 18:00** **Modern trends in mathematical optimization and high performance computing**

Czech Technical University, Czech Institute of Informatics, Robotics and Cybernetics, Jugoslávských partyzánů 1580/3, 166 36 Praha 6, Dejvice; GPS N 50°6.23817', E 14°23.67588', metro A Dejvická

Friday, October 27th 2017

- 8:30 – 9:00** **Registration**
- 9:00 – 9:10** **Opening**
- 9:10 – 13:00** **Energy day 2017: Keynote lectures**
- 13:00 – 13:45** **lunch**
- 13:45 – 15:45** **Energy day 2017: Round table discussion**
- 15:45 – 16:00** **coffee break**
- 16:00 – 16:45** **Conclusions of the Round table discussions of Energy day 2015, 2016 and 2017**

Czech Statistical Office, Na padesátém 3268/81, 100 82 Praha 10, N50°4.20417', E14°30.47880', metro A Skalka

- 21:00 – 24:00** **Chicago blues (music club Upgrade, Vocílkova 9, Prague 2, optional)**

Saturday, October 28th 2017

- 9:30 – 10:00 Registration**
- 10:00 – 10:10 Opening**
- 10:10 – 14:00 Energy systems modeling II.**
- 14:00 lunch**

**Czech Technical University, Faculty of Mechanical Engineering, Karlovo náměstí 13, Praha 2, building A, room 312
GPS N 50°4.57418', E 14°25.14200', metro line B station Karlovo náměstí**

Modeling, Optimization and Detection

Thursday October 26th, 2016

9:30 Registration

9:50 Opening

Stochastic modelling and novelty detection

10:00 Gejza Dohnal and Ivo Bukovský
Change point detection versus novelty detection

10:30 Marek Brabec
Structured statistical modeling for industrial applications

Market design and security of supply

11:15 Christian Winzer and Frieder Borggrefe
Power to the people: Creating markets for security of supply

11:45 Aaron Praktiknjo
Optimal level of security of supply with growing shares of fluctuating renewable electricity

11:45 coffee break

12:00 Christian Linnemann
Current developments in the electricity balancing markets

12:30 Thure Traber
A scarcity priced capacity mechanism for reliability of European markets? Effects and options for refinement.

13:00 Miroslav Chomát
Strategy AV 21

13:30 lunch

Modern trends in mathematical optimization and high performance computing

14:00 Andreas Grothey

Structured conveying algebraic modelling languages for large scale parallel optimization

14:50 Frieder Borggrefe

Next generation energy modelling - benefits of applying parallel optimization and high performance computing

15:15 coffee break

15:30 Milan Hladík

Interval linear programming

16:15 Michal Černý

The partial identification approach to interval data in statistics

16:45 Miloš Kopa

Stochastic optimization problems with decision dependent randomness - contamination and stress testing

17:15 Hynek Beran

New challenges for applied mathematics in the smart grid control (from the viewpoint of the new needs of Energy 4.0 and system transformation)

17:45 General discussion

**Czech Technical University,
Czech Institute of Informatics, Robotics and Cybernetics
Jugoslávských partyzánů 1580/3
166 36 Praha 6 - Dejvice**

**GPS N 50°6.23817', E 14°23.67588'
metro A station Dejvická**



Energy days 2017 – Keynote lectures and round table discussion

Friday October 27th, 2017

- 9:00 – 9:10 Opening
- 9:10 – 10:00 Zbyněk Štech, Consumption of fuels and energy in households
- 10:10 – 11:00 Frieder Borggreffe, Challenges after the EC's winter package: Improving security of supply and efficiency of the European energy system
- 11:10 – 12:00 Hynek Beran, Transformation of the Czech energy system
- 12:10 – 13:00 Ron S. Kenett, Data analytics, smart grids and information quality
- 13:00-13:45 lunch
- 13:40 – 15:45 Round table discussion
- 15:45-16:00 coffee break
- 16:00-16:45 Conclusions of Round table discussions
2015, 2016, 2017
- 20:00-24:00 underground music

Czech Statistical Office
Na padesátém 3268/81, 100 82 Praha 10

N 50°4.20417', E 14°30.47880'
metro A station Skalka



Energy systems modeling

Saturday October 28th, 2016

9:30 Registration

9:50 Opening

10:00 Florian Noll
Challenges faced by municipalities when pursuing national goals in energy policy

10:30 Irina Rau
Public acceptance in the context of the energy transition - challenge or chance?

11:00 Panos Evangelos and Stavroula Margelou
Modelling the long-term solar PV penetration in single and two-family houses in Switzerland

11:30 coffee break

11:45 Zdeněk Fabián
Information and uncertainty

12:15 Jaromír Antoch
Prediction of electricity consumption

12:45 Eliška Cézová
Modelling pollution over and around open-cut coal mines

13:15 Final discussion,

13:45 lunch



Czech Technical University
Faculty of Mechanical Engineering
Karlovo náměstí 13, Praha 2
GPS N 50°4.57418', E 14°25.14200'
metro line B station Karlovo náměstí

Book of Abstracts:

Keynote Lectures

Hynek Beran

Transformation of the Czech energy system

Czech Technical University, CIIRC, Prague, Czech Republic
hynek.beran@cvut.cz

Abstract

Energy system story

The energy system of the Czech Republic, similarly as the energy system of the majority of European countries, has been developed in the period between 50's and 80's of the last century, i.e. between the end of WW II and the political changes in 1989. Energy production on both sides of "iron curtain" was a strategic industry providing energy to produce steel, weapons etc. After the political changes the heavy industry has been significantly reduced, however, the surplus in installed capacity of power plants remained. This surplus has been the "physical" origin of market design. Cheap energy enabled rapid development of alternative consumption, e.g. supermarkets, air conditioning etc. No special measurements for system control in the infrastructure have been taken, the prevailing system up to now is only surplus – market. On the other hand huge market deformation suppressed all natural investment activities. Subsidized renewable and debited fossil resources together on the market compete for variable costs.

Absence of automatization in low voltage power grids

Taking into account the industrial revolution, the power grids down to 22kV did not pass the third industrial revolution (automatization) yet. On the other hand new prosumers (both industrial and buildings) are able to communicate actively with the power system. The system does not accept these new partners because of the "surplus of regulative capacity" of lignite power plants exporting fossil energy produced with very low efficiency (sometimes less than 30%) for low prices (30 down to 20 EUR).

Risks and Challenges of the 20's

After 2022 significant changes and risk factors are expected:

- a) About 40% of fossil power plants will not meet the new European emission limits and will be closed
- b) In neighboring Germany all the nuclear power plants will be closed. The power lines from the North from offshore and deep offshore wind power plant will not be ready
- c) CZ has two nuclear power plants. The elderly one, Dukovany, needs prolongation of safety certificates after 2025. Both the technological and political situation is not 100% clear.
- d) Main renewable energy in CZ is solar. The installed capacity grows up. This energy is unstable and dependent on weather – i.e. requires additional system regulation or storage.

The expected results from the above mentioned situation are:

- ✓ After 2022 or 2025, Czech Republic can have problems with balancing the system on the hourly base. Surplus at noon caused by photovoltaic + nuclear, deficit at morning and afternoon peak.
- ✓ When closing lignite power plants, CZ stops to be an energy exporting country and remains a country with a neutral power export / import balance. The surplus of regulatory capacity / ancillary services on exporting lignite power plants will be significantly reduced.
- ✓ When closing also nuclear power plant, the balance is about minus 20%. No export from neighboring countries can be expected, however, gas turbines can be used.

Need of new system design

This situation is a great challenge to develop new strategy of energy system control based on Energy 3.0 (i.e. automatization in the infrastructure) and Energy 4.0 principles. The main features are:

- a) Significant part of the system control must be in the embedded structure cooperating with the central system.
- b) In the time of deficit, the system must not provide “rolling blackout”. It should be designed to distribute the energy to intelligent infrastructures, which can regulate themselves, and it has to communicate with their requests, not only to switch them off.
- c) The origin of the above mentioned tasks is primarily technological. They are sophisticated control tasks. New methods are to be used for such system (predictive control, multiagent etc.).
- d) On the other hand both the legislative rules (unbundling) and the possibility of both market and distribution tariff motivation must be taken into account.

Hynek Beran is specialist in power system control and energy policy. Secretary of the Energy Commission of the Czech Academy of Sciences, head of Workgroup “Knowledge power systems” at Czech Institute of Informatics, Robotics and Cybernetics of the Czech Technical University, founder of the Czech Energy Society. Former secretary of the Independent Energy Commission of the Czech Government. Professional experience in power system control, normative of power system reliability and market design- Participant of the grant „Implementation of the Renewable Energy – security of supply“. Business experience in development of EMS, international consulting in Slovakia, Russian central dispatch company and other countries. Today oriented to system stability and transformation using decentral and renewable energy. Professionally interested also in social impact of energy transformation, tariffs, impact on environment and social adequacy.

Frieder Borggreffe

Challenges after the EC's winter package: Improving security of supply and efficiency of the European energy system

German Aerospace Center (DLR)
Frieder.Borggreffe@dlr.de

Abstract

The European winter package was published in November 2016 and laid out the path for future market design of the European Energy system. The impressive piece of proposals written by the European Commission wants to implement a consumer centered electricity market. However the winter package does not propose the endall or final version of the European energy system. In this talk I want to critically discuss the requirements defined by the winter package and the proposed market design.

The presentation outlines the current state of the market design in Europe and evaluates based on scenario based modelling, how the market design could be further improved to become more efficient. The talk outlines model results from the European Energy system model REMix developed at DLR and discusses possible implications of changes in the market design. The presentation will discuss the introduction of market zones and proposals for more efficient markets for security of supply. The presentation also critically discusses the limitations of current energy system models and outlines challenges for energy policy makers.

Frieder Borggreffe works since February 2014 as a researcher in the department of systems analysis and technology assessment in the institute of engineering thermodynamics at the German Aerospace Center (DLR) in Stuttgart/Germany with focus on energy systems analysis. DLR (Deutsches Zentrum für Luft- und Raumfahrt - German Aerospace Centre) is the national

aeronautics and space research centre of the Federal Republic of Germany. Its extensive research and development work in aeronautics, space, energy, transport and security is integrated into national and international cooperative ventures. The Institute of Engineering Thermodynamics (DLR-TT) in Stuttgart, does research in the field of efficient energy storage systems that conserve natural resources, and next generation energy conversion technologies. Within the institute the department for Systems Analysis and Technology Assessment (DLR-TT STB) provides methods and tools which support problem solving in the field of energy related systems analysis and technology assessment. The systems analysis work of the department combines top-down analysis of the overall energy supply system at regional, national and European level with technology oriented bottom-up studies.

Andreas Grothey

Structured conveying algebraic modelling languages for large scale parallel optimization

University of Edinburgh, School of Mathematics, Great Britain

A.Grothey@ed.ac.uk

Abstract

Algebraic modelling languages (ALM) are an important tool for the formulation of mathematical programming problems resulting in much increased efficiency, error-resistance and ease of use compared with alternatives such as coding evaluating routines for objective and constraint function (and their derivatives) in a high level programming language.

Most ALM only have limited ability to pass the problem structure on to the solver. Typically only sparsity information will be provided, any further block structure will be lost (or has to be recreated after the modelling process). On the other hand modern solvers for large scale problems (such as are common in energy application) invariably only show their true potential when they can exploit the structure of the problem (through decomposition, specialized linear algebra, aggregation techniques in scenario space, etc). It would therefore be beneficial to extend ALM by structure conveying features. In addition large scale problems can only be solved on parallel hardware; in such circumstances the model generation itself may become a bottleneck if performed in parallel. Structure information could enable the parallelization of the model generation phase.

In this talk we will discuss the challenges in designing structure conveying modelling languages and review a few of the implementations that have been proposed.

Andreas Grothey is a Senior Lecturer at the School of Mathematics, University of Edinburgh, Great Britain. His scientific interests are mainly in the field of optimization, more precisely:

- Stochastic and mixed integer problems in optimal power flow
- OOPS: Object oriented parallel solver.
- Efficient solution techniques for stochastic programming.
- Parallelisable structure exploiting modelling language.
- Parallelisation of interior point methods on various platforms.

Ron S. Kenett

Data analytics, smart grids and information quality

KPA Group, Raanana, Israel
ron@kpa-group.com

Abstract

The fourth industrial revolution (Industry 4.0) is raising the bar of data analytics. Smart grids are an essential element of the factory of the future and combining data from sensors with flexible manufacturing technologies is an essential capability required for achieving sustainability and efficient energy management. A paper dealing with analytic challenges in the context of Industry 4.0 can be found in <https://ssrn.com/abstract=3003830>. The talk will review the role of smart grids in smart manufacturing, will review a smart grid maturity ladder and present the role of analytics in going up this maturity ladder. Throughout, the framework on information quality will be used to structure the discussion. For more in information quality see Information Quality (InfoQ): The Potential of Data and Analytics to Generate Knowledge.

Ron Kenett is Chairman of the KPA Group, Israel, Senior Research Fellow at the Neaman Institute, Technion, Haifa and Visiting Professor at the School of Medicine of the Hebrew University of Jerusalem, Israel. He is an applied statistician combining expertise in academic, consulting and business domains. Ron is Past President of the Israel Statistical Association (ISA) and of the European Network for Business and Industrial Statistics (ENBIS). He authored and co-authored over 250 papers and 12 books on topics such as biostatistics, healthcare, industrial statistics, data mining, customer surveys, multivariate quality control, risk management and integrated management models. The KPA Group, he founded in 1994, is a leading Israeli firm focused on generating insights through analytics with a wide range of customers including hp, Unilever, the Israel aeronautics Industry, Elbit, Strataysys and Applied Materials. He is editor in chief of Wiley's StatsRef, serves on the editorial board of several international journals and was awarded the 2013 Greenfield Medal by the Royal Statistical Society in recognition for excellence in contributions to the applications of Statistics. He is member of the National Public Advisory Council for Statistics Israel and member of the Executive Academic Council, Wingate Academic College.

Zbyněk Štech

Consumption of fuels and energy in households

Czech Statistical Office, Department of TODO, Prague, Czech Republic
zbynek.stech@czso.cz , miluse.kavenova@czso.cz

Abstract

Households sector is a major contributor to GDP. Fuel and energy consumption is an essential part of household consumption. Taking available data sources into account the Czech Statistical Office carried out a household survey. To this end, the Czech Statistical Office had, in the past, carried out two surveys focused on the consumption of fuels and energy in households. "EnergO 2015" is now the third and most recent survey focusing on this topic. The surveys aimed at fuel consumption and energy consumption in households are by their very nature unique, as there had been no specific surveys of the households' fuel and energy consumption until the 1990s. The main goal the household survey EnergO 2015 was to obtain information on the current distribution of consumption of individual types of fuels and energy in households for specific end-uses. It was necessary to create completely new questionnaires, survey methodology and method to divide specific fuels into individual uses. The EnergO 2015 survey serves as an important source of information and the results have been used for many other national and international statistics.

Zbyněk Štech has been with the Czech Statistical Office since 2014 in the Industrial, Construction and Energy Statistics Department, where his work focuses on statistics of consumption of fuels and energy in households.

Contributed presentations

Jaromír Antoch

Electricity consumption prediction

Charles University, Faculty of mathematics and Physics, Prague, Czech Republic

antoch@karlin.mff.cuni.cz

A functional linear regression model linking observations of a functional response variable with measurements of an explanatory functional variable is considered. The model serves to analyze a real data set concerning electricity consumption in Sardinia. Data set consists of 52 584 values of electricity consumption collected every hour within the period from January~1, 2000, till December 31, 2005. The complete data series has been cut into 307 weeks for which the weekdays (Monday to Friday) and the weekends (Saturday and Sunday) have been separated. The reason for such a separation leading to two sets of discretized electricity consumption curves rests in the fact that we observe important differences between weekdays and weekend consumptions. The main interest lies in predicting either oncoming weekend or oncoming weekdays consumption curves if present weekdays consumption is known. In both cases, the (functional) predictor is the (discretized) curve of present weekdays consumption.

Frieder Borggrefe

Next generation energy modelling - benefits of applying parallel optimization and high performance computing

German Aerospace Center, DLR, Germany

Frieder.Borggrefe@dlr.de

Quantitative energy system modelling based on primarily linear mathematical optimization provide a basis to answer political, technical, and economic questions regarding the future development of electricity systems. In order to capture the complexity of future decentralized electricity system, models are required to become increasingly complex. This presentation outlines how high performance computing (HPC) can be applied to energy system modelling and describes challenges and benefit that arise when complex energy models based on linear and non-linear algorithms are applied to parallel computing.

The presentation draws on results from the project BEAM-ME funded by the German Federal Ministry for Economic Affairs and Energy. The research project aims at improving computational performance of energy system models. Within this project the consortium of researchers from different research fields (system analysis, mathematics, operations research and informatics) develop new strategies to increase computational performance of energy system models and to apply energy system models to high performance computing.

This presentation presents intermediate results from a benchmark analysis when applying the energy system model REMix to HPC. The presentation concludes with a discussion on future challenges for energy system modelling and how HPC can enable energy modelers to improve scenarios, market design and policy advice.

Marek Brabec
Structured statistical modeling for energy applications

Czech Academy of Sciences, Institute of Computer Science, Prague
mbrabec@cs.cas.cz

We will discuss several statistical models of regression type, useful in modern energy applications. In particular, we will consider a problem of statistical calibration of numerical weather prediction (NWP) models to remove complicated spatio-temporal structure of raw NWP biases. As we will show, additional motivation for a structured semiparametric approach comes from the fact that physically interpretable components of the statistical model can help understanding errors in NWP inputs and dynamics.

Eliška Cézová and Jaromír Antoch
Modelling pollution over and around open-cut coal mines

Czech Technical University, Prague, Czech Republic
eliska_c@email.cz

Important part of the Czech electricity is produced since almost 70 years in coal power plants, most of them located in NW of the Czech Republic typically very close to the open-cut coal mines. In this lecture we will concentrate on the analysis of the pollution due to the PM10 particles caused by the extraction. Based on the analysis of the data covering basic meteorological characteristics as well as pollution measured during 2012-2014, we can conclude that an impact of the complex terrain on passive pollutant dispersion with respect to the prevailing wind direction is important. The results also reveal that not only cavity shape and deepness, but also the surroundings orography has influence on the flow patterns, hence on ventilation, within the area of interest.

Michal Černý

The “partial identification” approach to interval data in statistics

University of Economy, Prague, Czech Republic

cernym@vse.cz

In our lecture we will concentrate on the partial identification' approach to interval data in statistics. First we summarize some results on elementary statistics in the univariate case, such as variance or t-ratio. We will show that while some tasks are solvable efficiently by interior point methods, another form an NP-hard problem. Nevertheless, we will show that under suitable assumptions some special cases can still be computed efficiently, and that the assumptions are not excessively restrictive.

Then we turn our attention to the multivariate setup. As an example we consider regression with interval-valued dependent variable y and real-valued regressors. We define a class of set-estimators of regression parameters, called zonotope estimators, as a generalization of the class of linear estimators in linear regression models. We derive asymptotic bounds for their limit identification regions. We will also discuss the role of further assumptions on the distribution of dependent variable with additional identification power. For example, imposing a lower bound on the conditional variance of y given the lower and upper bounds can result in tighter limit bounds, and thus more precise estimates.

Gejza Dohnal, Ivo Bukovský

Change point detection versus novelty detection

Czech Technical University, Prague, Czech Republic

dohnal@nipax.cz, Ivo.Bukovsky@fs.cvut.cz

In statistical process monitoring, procedures are applied that require relatively strict conditions for their use. If such assumptions are violated, these methods become inefficient, leading to increased incidence of false signals. The most often, we try to use a classical approach based on maximum likelihood ratio. The most limiting assumptions are both independence of observations and knowledge of probability distributions of monitored variable. Both are limiting in most real situations. There are several type of problems: first, the classical one, when we are looking for time of change of some process characteristics, knowing probability distributions both before and after the change. Second, we have known classification of process states and based on observations, we decide which of them is actual and when the change happened. Third, we try to detect a time when some new, still not-known behavior of the process occurs. While the first and second case we known as “change-point problem”, the third type of problems are addressed as “anomaly” or “novelty” detection.

Panos Evangelos and Stavroula Margelou

Modelling the long-term solar PV penetration in single- and two-family houses in Switzerland

Paul Scherrer Institute, Villigen, Switzerland and Swissgrid AG, Laufenburg, Switzerland
evangelos.panos@psi.ch and stavroula.margelou@swissgrid.ch

Roof-top solar photovoltaics (PV) display a significant potential in electricity generation in Switzerland (up to 20 TWh/yr. or one-third of the current Swiss electricity consumption), but their market penetration is still low. In view of the Swiss Energy Strategy that foresees a significant increase in solar PV power by 2050, we investigate the decision to adopt solar PV at residential buildings. We develop an agent-based model, with each agent being a single- or two- family house located in a Swiss canton, to simulate how different policy support levels, technology learning rates, electricity price levels and private investor's discount rates affect the decision to invest in solar PV. We consider as agents single and two-family households, for which the choice to adopt a solar PV system depends on the economic profitability of the investment, on agent's income, on anticipated by the agent environmental benefits and on impact from social networks. A synthetic population of agents is created, statistically equivalent to the actual population, by applying Monte Carlo sampling on probability distributions fitted to data from Swiss administrative registers. Our analysis shows that the economic profitability stimulates the diffusion of solar PV investments till the year 2030. At the later periods, social (peer) effects become essential in unfolding the diffusion process.

Zdeněk Fabián

Information and uncertainty

Czech Academy of Sciences, Institute of Computer Science, Prague
zdenek@cs.cas.cz

What amount of information carries one item taken from a continuous distribution (relative to other possible values)? What is the mean information of a continuous distribution? The statistical notion, Fisher information, carries information about a parameter involved only. As mean uncertainty is usually considered the continuous equivalent of Shannon's entropy, the differential entropy. However, its value can be negative! Does it have any sense? Is it eligible to extrapolate theory developed for discrete models to continuous models with infinite support? In our contribution we provide unexpected solution: Mean information of continuous models is extended Fisher information, mean uncertainty is its reciprocal value.

Milan Hladík

Interval linear programming

Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
milan.hladik@mff.cuni.cz

We consider a class of linear programming problems with coefficients varying inside given intervals. These intervals represent some kind of uncertainty of obtaining exact values, which can be caused by inexact measurements, missing data, discretization errors or some incomplete information. In contrast to other well-known approaches (stochastic or fuzzy programming), in interval analysis we need to take into account all possible realizations of interval values and determine rigorous answers (in the form of bounds on optimal values and optimal solutions, or in the form for certifying some problem characteristics).

In our presentation, we consider a few of problems arising from data uncertainty. First, we discuss the effect of perturbations on the optimal value. In particular, we focus on the range of possible optimal values. The next important, but also the most challenging, problem of determining the optimal solution set. This set is defined as the union of all optimal solutions under all realizations of the intervals. We present some new results on the topological properties of the optimal solution set and its approximation. Both problems (optimal value range and the optimal solution set) can be solved easily provided there is an optimal basis common to all realizations of interval data. Therefore, we address the problem of basis stability in our presentation, too.

Miroslav Chomát

Strategy AV21

Czech Academy of Sciences, Institute of Thermomechanics, Prague
chomat@it.cas.cz

“Top research in the public interest” is the motto of the new strategy of the Czech Academy of Sciences, which presents itself more strongly as an institution whose primary mission is high quality research focused on the problems and challenges faced by contemporary society. Topics such as the **future of energy in the Czech Republic**, public health or the quality of public policies involve complex sets of problems, the solution of which requires broad-based interdisciplinary research. The Czech Academy of Sciences has therefore adopted Strategy AV21 based on a set of coordinated Research Programmes utilizing interdisciplinary and inter-institutional synergies in order to identify the problems and challenges of our time and to harmonize

the efforts of research institutes of the Czech Academy of Sciences towards their solutions. Concise information concerning the topics concerning energy will be presented.

Christian Linnemann

Current developments in the electricity balancing markets

50hertz

50Hertz operates the transmission grid in the northern and eastern part of Germany. This electricity grid is one of the most recent in Europe. As a part of the European Grid it is directly connected to neighbor countries such as Poland, Czech Republic and Denmark. 50Hertz coordinates the interaction of all players of the electricity market in the federal states of Berlin, Brandenburg, Hamburg, Mecklenburg-Vorpommern, Saxony, Saxony-Anhalt and Thuringia.

Florian Noll

Challenges faced by municipalities when pursuing national goals in energy policy

IZES gGmbH, Saarbruecken, Germany

Municipalities are key actors of energy transition as they combine several functions, which are important for the implementation of national energy policies. Among other things, they are formally responsible for land usage and development planning processes as well as for approval procedures concerning the construction of renewable power and heat generation systems. In addition, especially their function as mediator between the interests of regional and local actors is decisive for the acceptance of local measures. Although the European and national goals in energy policy need to be implemented locally supported by local government policies, energy transition is so far a voluntary municipal task, which leads to additional burden for the administration and politics. The paper shows the consequences of these circumstances describing the diverse municipal strategies in dealing with the national goals in energy policy and the challenges local politicians face in this context. Derived from that, the paper also demonstrates the implications for the realization of national energy policies.

Miloš Kopa

Stochastic optimization problems with decision dependent randomness - contamination and stress testing

Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic

kopa@karlin.mff.cuni.cz

Stochastic optimization problems typically assume that the random element is exogenous. However, in some recent applications we observe that the random element may be endogenous, that is, it may depend on the decision. These problems are usually difficult to formulate and solve in practice.

In this paper, we deal with several types of stochastic problems with decision dependent randomness. We focus on reformulations and solution techniques of these problems. The obtained optimal solutions are then carefully analyzed as well. We present output analysis, robustness, and stress testing with respect to uncertainty or perturbations of input data for these stochastic optimization problems. Applying the contamination techniques, we present lower and upper bounds for optimal value function for several different decision dependent randomness problems.

Aaron Praktiknjo

Optimal level of security of supply with growing shares of fluctuating renewable electricity

RWTH Aachen, Germany

APraktiknjo@eonerc.rwth-aachen.de

A reliable supply of electricity is the backbone of a nation's economic welfare. However, several industrial countries are currently in the process of changing their energy systems from conventional to intermittent renewable supply. Especially the energy system in Germany is undergoing such a fundamental transition with the phase-out of nuclear power by 2022 and a rapid expansion of intermittent renewable generation. The question arises what the impact of such a transition is for security of supply. We present a methodology we jointly developed with the four incumbent transmission system operators to quantify these impacts and apply it to the German case. Our results indicate that the level of security of supply will decrease by about five percent comparing 2014 to 2023.

Irina Rau

Public acceptance in the context of the energy transition - challenge or chance?

IZES Berlin

With the increasing number of new energy infrastructures such as renewable energy projects (e.g. wind turbines, PV systems) or transmission lines in the context of energy transition, public acceptance has become more and more a relevant aspect to be considered for a successful implementation on local level.

On the one hand it is mandatory for the future transition process to identify the relevant factors influencing public acceptance of different renewable technologies and how they can be addressed in good planning practice in order to create acceptance and solve conflicts.

On the other hand, local stakeholders as well as the broad population are experts of their surroundings and can contribute substantially to the conception and implementation of projects. Hence they have to be involved in the planning processes through high quality participation measures in order to use the local knowledge and to foster the perceived procedural justice, which is also very important with regard to public acceptance.

The presentation gives an overview on empirically acceptance factors such as landscape issues, risk perceptions, perceived procedural and distributional justice etc., and gives recommendations how to deal with obstacles and drivers in order to foster energy transition on local level.

Thure Traber

A scarcity priced capacity mechanism for reliability of European markets? Effects and options for refinement.

Technical University of Denmark, Management Engineering, Denmark

thutr@dtu.dk

Proposals of different Capacity Remuneration Mechanisms (CRMs) to respond to capacity adequacy problems in liberalised electricity systems are frequently considered on national and European level. I present a partial equilibrium model of a CRM that induces hourly scarcity-pricing of capacity (RM) and compare results for the interconnected markets of Germany, France and Poland with those computed for two conventional CRMs that are imposing capacity targets on a yearly basis, i.e. a strategic

reserve (SR) and a capacity market (CM). I find a saving of costs to the society for the RM-solution in the medium term and favourable results for consumers also on the long run. The results are discussed in view of regulatory options to minimize the potential costs of power interruptions and the possible role of smart metering and decentralised energy contracts.

Christian Winzer and Frieder Borggrefe
Power to the people: Creating markets for security of supply

Switzerland and German Aerospace Center, DLR, Germany
Frieder.Borggrefe@dlr.de

One of the root causes behind many of the distortions in today's electricity markets is that short term security of supply is a good without a market as curtailments are typically not priced based on consumer preferences. Consumer choice of reliability levels is thus replaced with administrative reliability targets and adequate investment needs to be guaranteed through capacity mechanisms and emergency plans, distorting dispatch, investment and innovation incentives instead of relying on market signals. As an alternative approach, this paper proposes to enhance electricity markets by including curtailment bids from all end consumers in the energy market and offer grid tariffs for different reliability levels.

Local Organizing Committee

Jaromír Antoch
Charles University, Prague
Eliška Cézová
Czech Technical University in Prague
Gejza Dohnal
Czech Academy of Sciences
Emil Pelikán
Czech Academy of Sciences
Lenka Semeráková
Czech Academy of Sciences
Ondřej Vozár
Czech Statistical Office

contact email
info@energy-workshop.cz



EUROPEAN UNION
European Structural and Investing Funds
Operational Programme Research,
Development and Education



Sponsors


The workshop and round table session are supported by the [Czech Academy of Sciences](#) within the framework of the research program [Strategie AV21](#), grant GAČR P403/15/09663S, European project [COST, Action CA 15109](#), [Czech Technical University in Prague](#), [Charles University](#), [Czech Statistical Office](#) and [Czech Statistical Society](#).



Scientific Program Committee

Jaromír Antoch
Charles University, Prague
Frieder Borggrefe
German Aerospace Agency (DLR)
Alessandro Di Bucchianico
Technische Universiteit Eindhoven
Gejza Dohnal
Czech Technical University in Prague
Antonio Frangioni
Università di Pisa
Emil Pelikán
Czech Academy of Sciences
Iva Ritschelová
Czech Statistical Office
Ondřej Vozár

Czech Statistical Office



Metro map